

MODE OF ACTION

Amanora (2,4-D 720G/L SL) is a selective systemic herbicide. Translocation occurs, with accumulation principally at the merismatic regions of shoots and roots. Acts as a growth inhibitor.

DIRECTION FOR USE

AMANORA (2,4 D 720 g/L SL) is a post-emergence herbicide for the control of annual and vivaceous broad-leaved weeds. It is used in mixtures with the herbicide partners recommended for weed control in second plant cane application and ratoon cane.

Crop

Sugar cane and non crop land

Dosage (Sugarcane and non-cropland)

L/ha	L/Arpent
3.0	1.25

Volume of water for spraying: 350 - 450 L/ha (150 - 200 L/Arp)

Mixing Instructions

Thoroughly mix with clean water. If mixture need to be applied with another herbicide formulation, mix the latter first, then add 2,4-D 720G/L SL while stirring

Restrictions

The pesticide is toxic to some plants at very low concentrations. Non target plants, particularly vegetables and ornamentals, may be adversely affected if pesticide is allowed to drift from areas of application.

Phytotoxicity

Phytotoxic to broad leaved crops especially tomatoes, ornamentals and fruit trees

Toxicity

Highly toxic to fish

Re Entry period: 24 hrs

Storage: Store in the original container and keep closed. Store in cool, dry and well-ventilated place.

Shelf Life: 2 Years from manufacturing Date

AMANORA

Contains 2,4 D Amine Salt 720 g/L

POISON

WHO CLASS II

HERBICIDE (Aryoxyalkanoic Acid)

FORMULATION: SOLUBLE LIQUID

Acute Oral (LD₅₀mg/Kg): >3600 mg/Kg

Acute Dermal (LD₅₀mg/Kg): >5000mg/Kg

Skin: Non Irritant

Eye: Mild Irritant

Manufacturer

UPL Limited (Hong Kong)

Distributor

The Mauritius Co-operative Agricultural Federation Ltd

United Docks Business Park - Caudan, Port Louis, Mauritius

Tel: 211 0928/212 1360 Fax: 211 2261

Batch No:

Manufacturer Date:

DCCB Reg No: DCCB/AC/04/23-277

SAFETY PRECAUTIONS

- Wear rubber gloves, boots and face shield when spraying.
- Do not eat, drink, or smoke when mixing or spraying.

- Avoid inhaling spray mist.
- Wash contaminated skin with soap and water.
- Keep out of reach of children.
- Store in a cool place, away from food, feedstuff and seeds.
- In case of poisoning seek medical advice.

- ☒ Do not contaminate ponds and rivers
- ☒ Do not re-use empty containers
- ☒ Do not re-use empty containers
- ☒ Dispose empty containers safely, considering the environment

FIRST AID

IN CASE OF POISONING, contact a physician IMMEDIATELY. Take container, label or product name and DCCB Registration Number with you when seeking medical attention.

Inhalation: May cause irritation of the mucous membranes, respiratory tract, headache and nausea.

Swallowed: Toxic if swallowed. It may cause headache, vomiting and nausea.

Antidote

There is no specific antidote. Treat symptomatically

VOLUME

1LT



NOCIF