MODE OF ACTION

BRISMAT two active ingredients, Ametryn is a selective systemic herbicide, absorbed by the leaves and roots, with translocation acropetally in the xylem, and accumulation in the apical meristems. Trifloxysulfuron sodium is readily absorbed by shoots and roots and is translocated via xylem and phloem to shoots, roots and apical meristems

DIRECTION FOR USE

A selective herbicide for pre-post emergence control of many annual broad-leaved weeds and annual grasses in sugarcane. It can be used in plant and ratoon cane.

CROP

Sugarcane

DOSAGE

Pre-emergence of weeds	
Kg/ha	Kg/Arp
2	0.8
Early post or post-emergence of weeds	
Kg/ha	Kg/Arp
2	0.8
0.8	0.33
	Kg/ha 2 ost or post-emergence of Kg/ha 2

MIXING INSTRUCTIONS

Use clean water. Fill sprayer/tank upto 1/4 of its capacity. Add appropriate amount of herbicide in the tank and mix thoroughly by agitation. Fill the remainder of spayer/tank with water

TOXICITY

None when use as directed

RE-ENTRY PERIOD: 24 HRS

SHELF LIFE: 2 Years from manufacturing Date

BRISMAT

HERBICIDE (Triazine + Sulfonylurea)



WHO CLASS III

Contains Ametryn 731.5g/kg + Trifloxysulfuron sodium 18.5g/kg

FORMULATION: WATER DISPERSIBLE GRANULE

Acute Oral (LD₅₀mg/Kg): >2000 mg/Kg

Acute Dermal (LD₅₀mg/Kg): >2000mg/Kg

Manufacturer

Spinochem Tech Co.,Ltd

Distributor

The Mauritius Co-operative Agricultural Federation Ltd



United Docks Business Park - Caudan, Port Louis, Mauritius

Tel: 211 0928/212 1360 Fax: 211 2261

Batch No:

DCCB Reg No:DCCB/AC/05/22/203

SAFETY PRECAUTIONS

- -Wear rubber gloves, boots and face shield when spraying.
- -Do not eat, drink, or smoke when mixing or spraying.
- -Avoid inhaling spray mist.
- -Wash contaminated skin with soap and water.
- -Keep out of reach of children.

-Store in a cool place, away from food, feedstuff and seeds.

-In case of poisoning seek medical advice.

FIRST AID

IN CASE OF POISONING, contact a physician IMMEDIATELY. Take container, label or product name and DCCB Registration Number with you when seeking medical attention.

Skin: Non Irritant Eye: Mild Irritant

Inhalation: May cause irritation of the mucous membranes,

respiratory tract, headache and nausea.

Swallowed: Toxic if swallowed. It may cause headache, vomiting

and nausea.

Antidote

There is no specific antidote. Treat symptomatically

NET WEIGHT

800 gm



















Manufacturer Date:











NOCIF