PRODUCT CHARACTERISTICS

Fluroxypyr 200g/L EC is a systemic selective herbicide which is absorbed by the plant and eventually transported through the sap in the plant

DIRECTION OF USE

Control of vine weeds in sugarcane (Plant cane and ratoon)

Dose:

- 1. Liseron (Ipomoea nil), Liane lastic (Ipomea obscura) and pistache marrone (Cajanus scarabaeoides) 1.5-2.0 Lt/ha (0.65-0.85 L/arpent)
- 2. Control of liane Lingue (Paederia foetida), Liane poc poc (Passiflora suberosa), 2-3 Lt/ha (0.85-1.25Lt/Arpent)
- 3. Watook (Clidermia hirta) -0.5-0.75 Lt/Arpent + 10 gram Metsulfuron methyl

Precautions

Herbicide should be applied on actively growing vine weeds

An adjuvant (CO-WETT) should be added to the herbicide

Can be mixed with other pre-emergence herbicides prior of testting for compatibilities

Re-entry period: 24 hours


Disclaimer: The company will not be liable for any misused, mishandled and damage caused by this product. Read label before using and for any queries, please contact your distributor.

SHELF LIFE

2 Years from manufacturing Date

Fluroxypyr 200g/L EC

HERBICIDE



Contains 200g/L FLUROXYPYR

FORMULATION: EMULSIFIABLE CONCENTRATE (EC) Acute Oral (LD₅₀mg/Kg): >2000 mg/Kg

Acute Dermal (LD50mg/Kg): >4000mg/Kg

Manufacturer

Spinochem Tech Co.,Ltd

DISTRIBUTED BY

Distributed by The Mauritius Co-operative Agricultural Inhalation: May cause irritation of the mucous membranes, respiratory **Federation Ltd**



UNITED DOCKS BUSINESS PARK-CAUDAN PORT LOUIS Tel: 211 0928/212 1360 Fax: 211 2261

Batch No: Date of production

DCCB Reg No: DCCB/AC/03/21/117

SAFETY PRECAUTIONS

- -Wear rubber gloves, boots and face shield when spraying.
- -Do not eat, drink, or smoke when mixing or spraying.
- -Avoid inhaling spray mist.
- -Wash contaminated skin with soap and water.
- -Keep out of reach of children.
- -Store in a cool place, away from food, feedstuff and seeds.
- -In case of poisoning seek medical advice.

FIRST AID

IN CASE OF POISONING, contact a physician IMMEDIATELY. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

Skin: Non Irritant Eye: Mild Irritant

tract, headache and nausea.

Swallowed: toxic if swallowed. It may cause headache, vomiting and nausea.

There is no specific antidote if this product is ingested. If a large amount has been ingested and emesis is inadequate, lavage stomach. Treat symptomatically

VOLUME

1 LT























