

MODE OF ACTION

FORWARD is a contact insecticide with stomach action. Affected insects cease feeding, with poor co-ordination, paralysis and ultimately death.

DIRECTION OF USE

Target Pests: Diamond Black Moth (DBM), Army worms (*Spodoptera sp*), Fruit Borers and Caterpillars

Crops: Groundnut, Maize, Cabbage, Cauliflower, Broccoli, Cucurbits, Chinese Cabbage, Tomato, Okra, Ginger, Sweet Potato, Pea, Beans, Cowpea, Raddish, Potato

Dosage

Dosage		
Per Litre of water	20L Water	Per Hectare (600 Lt of water)
0.25 gm	5 gm	150 gm

Mixing Instruction

Shake the container well before use. Half fill spray tank with clean water. Add the required amount of FORWARD. Start agitation. Finish filling the tank. Maintain agitation throughout application.

Number of Applications/ Interval

2-3 applications. Alternate with other insecticides having different mode of action to avoid resistance. Interval: 7-14 days depending level of infestation

Re-entry period: 12 hours

Inhalation Toxicity for rat: 2.0mg/L (4 hr) **Compatibility:** Compatible with most Agro-chemicals.

Toxicity: Toxic to Aquatic Animals and to Bees on direct contact

Pre Harvest Interval (PHI): Okra-2 Days, Maize, Cabbage, Cauliflower, Broccoli, Cucurbits, Chinese Cabbage, Tomato, Pea, beans, Cowpea -3 days

Ginger, Sweet Potato, Raddish, Potato -7 days, Groundnut - 14 days

FORWARD 30% WDG

Contains: **Indoxacarb 300g/kg**

INSECTICIDE

POISON

Family/Group: **OXADIAZINES**

FORMULATION: Water-Dispersible Granule

Acute Oral (LD₅₀) rat: male: >1732mg/Kg

Acute Dermal (LD₅₀) rabbit: >5000mg/Kg

WHO CLASS III

Note to Physician

No Specific Antidote.

Manufacturer

Spinochem Tech Co.,Ltd

DISTRIBUTED BY

The Mauritius Co-operative Agricultural Federation Ltd



UNITED DOCKS BUSINESS PARK-CAUDAN PORT LOUIS

Tel: 211 0928/212 1360 Fax: 211 2261

Batch No:

Date of production

DCCB Reg No: DCCB/AC/11/21/170

SAFETY PRECAUTIONS

-Wear rubber gloves, boots and face shield when spraying.

-Do not eat, drink, or smoke when mixing or spraying.

-Avoid inhaling spray mist.

-Wash contaminated skin with soap and water.

-Keep out of reach of children.

-Store in a cool place, away from food, feedstuff and seeds.

-In case of poisoning seek medical advice.

FIRST AID

IN CASE OF POISONING, contact a physician IMMEDIATELY. Take container, label or product name and DCCB Registration Number with you when seeking medical attention.

Skin: Non Irritant

Eye: Mild Irritant

Inhalation: May cause irritation of the mucous membranes, respiratory tract, headache and nausea.

Swallowed: toxic if swallowed. It may cause headache, vomiting and nausea.

There is no specific antidote if this product is ingested. If a large amount has been ingested and emesis is inadequate, lavage stomach. Treat symptomatically

NET WEIGHT

50 gm



CAUTION

