MODE OF ACTION	MASTER-K 5% WDG	SAFETY PRECAUTIONS
Master-K is a micro-organism derived insecticide which penetrates leaf tissues by		-Wear rubber gloves, boots and face shield when spraying.
translaminar movement	Active ingredient: Emamectin Benzoate 50g/kg	-Do not eat, drink, or smoke when mixing or spraying.
DIRECTION OF USE	INSECTICIDE	-Avoid inhaling spray mist.
Target Pests: Caterpillars such as Diamond back Moth (DBM), Heliothis sp., Fall	POISON	-Wash contaminated skin with soap and water.
armyworm	Chemical Group: Avermectin	-Keep out of reach of children.
Crops: Groundnut, cabbage, cauliflower, Brocoli, zucchini, ginger, bean, cucurbits,	FORMULATION: WDG - Water Dispersible Granule	-Store in a cool place, away from food, feedstuff and seeds.
maize, water melon, melon, squash, pea, Chinese cabbage, potato, Soya	Acute Oral LD _{50 (rat}) : 56-63mg/Kg	-In case of poisoning seek medical advice.
vegetable, tomato, cowpea	Acute Dermal LD _{50 (rat}): >2000mg/Kg	FIRST AID
Dosage:	WHO Class: II	IN CASE OF POISONING, contact a physician IMMEDIATELY. Take
Crops: All Crops	Note to Physician	container, label or product name and DCCB Registration Number with yo
Hectare (600Lt of water) -180 g	No Specific Antidote	when seeking medical attention.
Arpent (200 Lt of water) - 60 g	Manufacturer	
Per Lt of Water - 0.3 g	Spinochem Tech Co.,Ltd	Skin: Non Irritant
Mixing Instruction	Spinochem reen co.,eta	Eye: Severe Irritant
Add the required amount of Master-K in the tank mix containing enough water. Stir	DISTRIBUTED BY	
it properlyand add it to the required quantity of water while stirring to get a homogeneous mixture. Spray immediately.		
	The Mauritius Co-operative Agricultural Federation Ltd	Inhalation: May cause irritation of the mucous membranes, respiratory tract, headache and nausea.
Number of Applications/ Interval	5 A	
Maximum 2 applications per crop cycle at 14 days interval.		Swallowed: toxic if swallowed. It may cause headache, vomiting and
Re-entry period: 12 hours		nausea.
Compatibility: Compatible with most Agro-chemical sexcept Alkaline Products Toxicity: Toxic to Aquatic organisms and Bees	UNITED DOCKS BUSINESS PARK-CAUDAN PORT LOUIS Tel: 211 0928/212 1360 Fax: 211	There is no specific antidote if this product is ingested. If a large amount
Toxicity. Toxic to Aquatic organisms and bees	2261	has been ingested and emesis is inadequate, lavage stomach. Treat symptomatically
Pre Harvest Interval (PHI): 7 days for listed crops	Detables Deta of another	
	Batch No: Date of production	
		NET 50 gm
	DCCB Reg No:DCCB/AC/11/21/169	WEIGHT
	HARMEII	

HARMFUL