

MODE OF ACTION

RATOFF is a rodenticide with anticoagulant properties which blocks prothrombin formation for control of rats and mice in areas containing stored products, household use, industrial buildings, and other situations.

DIRECTION OF USE

Target Pests: Rats and Mice

Site survey

Identify the most suitable places for the placing of the bait, e.g. fresh droppings, inside or near burrows, runways and feeding places.

Application rate

- Mice: use bait points of up to 50 g. Place bait points 5 metres apart, reducing to 2 metres in areas of high infestation.

- Rats: use bait points of up to 100 g. Place bait points 10 metres apart, reducing to 5 metres in areas of high infestation. Baits should be secured inside proper bait stations or plastic jars or plastic tubes.

Monitoring

Make regular inspections of the bait points (recommended every 3 or 4 days) and replace any bait that has been eaten by rodents, damaged by water or contaminated by dirt.

Toxicity to non target organisms: Hazardous to pigs, cats, dogs, poultry, birds and wildlife.

Storage

Store only in original container, in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

Waste and Empty Containers

Treatment period can be considered concluded when baits remain uneaten. Search for, collect and dispose of the remains of bait and any remaining rodent bodies and dispose them safely complying with legislation regarding the correct disposal of waste.

RATOFF

Active ingredient: Bromadiolone 0.005%

RODENTICIDE

POISON

Chemical Group: Diarylheptanoid

FORMULATION: WDG - RB (Ready for Use Bait)

Acute Oral LD_{50 (rat)} : 1.31 mg/Kg

Acute Dermal LD_{50 (rat)}: >23.31mg/Kg

WHO Class: Ia

Note to Physician

Vitamin k1

Manufacturer

Spinochem Tech Co.,Ltd

DISTRIBUTED BY

The Mauritius Co-operative Agricultural Federation Ltd



UNITED DOCKS BUSINESS PARK-CAUDAN PORT LOUIS Tel: 211 0928/212 1360

Fax:+230 211 2261, Email: mcafco@intnet.mu

Batch No:

Date of production

DCCB Reg No: DCCB/AC/05/22/202

SAFETY PRECAUTIONS

- Harmful if swallowed.
- Keep away from children, domestic animals and pets.
- Causes moderate eye irritation.
- Do not get in eyes or on clothing.
- All handlers (including applicators) must wear long-sleeved shirt and long pants, shoes plus socks, and gloves.
- Any person who retrieves carcasses or unused bait following application of this product must wear gloves.
- Do not place near or inside ventilation duct openings.
- Do not contaminate water, food, feedstuffs food or feed handling equipment, or milk or meat handling equipment or surfaces that come into direct contact with food.
- Do not broadcast bait.

First Aid

IN CASE OF POISONING, contact a physician IMMEDIATELY. Take container, label or product name and DCCB Registration Number with you when seeking medical attention.

Note to Physician

If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitarmin K1 intramuscularly or orally. Repeat as necessary based on monitoring of prothrombin times.

NET WEIGHT

500 gm



EXTREMELY HAZARDOUS

