

PRODUCT CHARACTERISTICS

DANCOR is a Selective systemic herbicide, absorbed predominantly by the roots, but also by the leaves, with translocation acropetally in the xylem.

DIRECTION OF USE

DANCOR is effective herbicide for Pre- and post-emergence control of many grasses and broad-leaved weeds in sugarcane, potatoes, tomatoes and carrot.

Dose:

Sugarcane: 3.5 Lt/ha(1.5 Lt/Arpent)

Potato: 2.0 Lt/ha (850 ml/Arpent)

Tomato:1.75 Lt/ha (730 ml/Arpent) immediately after sowing or 1Lt/ha (450 ml/Arpent) after transplantation (4-6 leaves)

Carrot: 1.0 Lt/ha (450 ml/Arpent) immediately after sowing and 500ml/ha (220 ml/Arpent) as from emergence of third leaves of carrot

Re-entry period: 24 hours

Disclaimer: The company will not be liable for any misused, mishandled and damage caused by this product. Read label before using and for any queries, please contact your distributor

SHELF LIFE

2 Years from manufacturing Date

DANKOR

HERBICIDE

WHO	III	HERBICIDE
POISON		

Contains 480g/L Metribuzin

FORMULATION: SUSPENSION CONCENTRATE (SC)

Acute Oral (LD₅₀mg/Kg): >322 mg/Kg

Acute Dermal (LD₅₀mg/Kg): >20000mg/Kg

Manufacturer

UPL Limited

India

Distributor

**The Mauritius Co-operative Agricultural
Federation Ltd**



UNITED DOCKS BUSINESS PARK-CAUDAN PORT LOUIS

Tel: 211 0928/212 1360 Fax: 211 2261

Batch No:

Manufacturer Date:

DCCB Reg No: DCCB/AC/09/19/999

SAFETY PRECAUTIONS

-Wear rubber gloves, boots and face shield when spraying.

-Do not eat, drink, or smoke when mixing or spraying.

-Avoid inhaling spray mist.

-Wash contaminated skin with soap and water.

-Keep out of reach of children.

-Store in a cool place, away from food, feedstuff and seeds.

-In case of poisoning seek medical advice.

FIRST AID

IN CASE OF POISONING, contact a physician IMMEDIATELY. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

Skin: Non Irritant

Eye: Mild Irritant

Inhalation: May cause irritation of the mucous membranes, respiratory tract, headache and nausea.

Swallowed: toxic if swallowed. It may cause headache, vomiting and nausea.

There is no specific antidote if this product is ingested. If a large amount has been ingested and emesis is inadequate, lavage stomach. Treat symptomatically

VOLUME 1LT



NOCIF