

Mode of action

Thiophanate-methyl 500SC is a Preventive, Curative and systemic fungicide for control of certain fungal diseases absorbed by leaves and roots

Disease Controlled: Pineapple Disease, gray mold, Anthracnose,

Sclerotinia rot, Scab, Powdery Mildew, Leaf Spot, Fusarium Wilt, Verticillium Wilt, Gummy Stem blight, Leaf mold, Stem rot, Black rot, Gray mold, neck rot, Smut and Damping off

Crops: Tomato, Cucurbits, Eggplant, lettuce, radish, Green Pepper,

Banana, Grape, Cabbage, chinese cabbage, Celery, Onion, Papaya, Mango, Citrus, Asparagus, Strawberry, Potato, beans, Peanut, Peas, Rose, Turf

Dosage: Vegetables & flowers: 1 ml/L of water

Fruit Trees: 2 ml/ L water, Turf: 1.5 ml/L water

Mixing instructions: Measure out the required quantity of the product and mix it well with a small quantity of water. Pour the mixture to the spray tank and add the remaining quantity of water with thorough agitation.

Application Frequency (days): 14

Warning

Re-entry period: 24 hrs

Ecotoxicology: Toxic to aquatic organisms.

Phytotoxicity: Non-phytotoxic when used as directed.

Incompability: Thiophanate methyl 500SC Fungicide is compatible with most pesticides; do not mix with lime or other alkaline materials.

Thiophanate-methyl 500SC

Thiophanate-methyl - 500 g/l (42.6 w/w%)

FUNGICIDE

chemical type

POISON

WHO CLASS: III

Acute oral LD50(rat): >1000 mg/kg
Acute Dermal LD50(rat): >2000 mg/kg

Note to physician: No specific antidote,
Symptomatic treatment

Manufacturer/ Distributor

WILLOWOOD LIMITED



Importer/Distributor:

The Mauritius Coop Agricultural Fed. Ltd



United Docks Business Park, Caudan, Port Louis

Tel: 211 0928/212 1360 Fax: 211 2261

Date of Manufacture:

Batch No.:

DCCB Registration No.: DCCB/AC/02/20/14

Pre-harvest interval (days);

Crops: Strawberry-14 days,

Tomato,artichoke,bean, celery, chilli,chouchou,ladies finger - 7 days
Echalotte,Fenouil,onion,parsley, banana, coconut,
guava,pineapple,pomegranate,

strawberry - 14 days

Precautions

- Wear protective equipment(overall,gloves, goggles, respirator and boots) when handling and applying product
- Do not eat, drink or smoke while handling pesticide
- Avoid inhalation of spray mist
- Remove contaminated clothing immediately
- After pesticide handling, immediately wash hands and face thoroughly with soap and water
- Keep out of reach of children and store under lock and key
- Do not contaminate ponds and rivers
- Do not re-use empty containers
- Destroy and bury empty containers
- In case of poisoning, seek medical advice

Content: 500 ML

