MODE OF ACTION

STRANGLE (Flonicamid 50% WDG) is Systemic and translaminar insecticide. It also inhibits feeding.

DIRECTION OF USE

Target Pests: Aphids, white flies, leaf hopper, mealy bugs and thrips

Crops: Garlic, Eggplant, Carrot, Lettuce, Chinese Cabbage, Cassava, Cucurbits, Bean, Leek, Cowpea, Okra, Onion, Chilli, Pea, Potato, Pepper, Tomato

Dosage:

Crops: All Crops

Hectare (600Lt of water) -120 gm Arpent (250 Lt of water) - 50 gm

Per Lt of Water -0.20 gm

Mixing Instruction

Add the required amount of flonicamid 50% WDG in the tank mix containing enough water. Stir it properlyand add it to the required quantity of water while stirring to get a homogeneous mixture. Spray immediately.

Number of Applications/ Interval

Maximum 3 applications per crop cycle at 7 to 14 days interval except potato-21 days

Re-entry period: 12 hours

Inhalation Toxicity for rat: 5.36mg/L (4 hr) Compatible with most Agro-chemicals.

Compatibility:

Toxicity: Toxic to Aquatic Animals

Pre Harvest Interval (PHI)

Onion, Garlic, Cassave, Pea, Leek, Bean, Cowpea: 7 days; Egglant, Okra, Lettuce, Chinese cabbage, Chilli, Sweet pepper, Tomato: 2 days; Carrot, Potato-14 days, Cucurbits-3 days

STRANGLE

Flonicamid 500g/Kg INSECTICIDE

Pyridincarboxamide

FORMULATION: Water Dispersible Granules Acute Oral LD_{50 (rat) male}: 884 mg/Kg (female) 1768 mg/Kg Acute Dermal LD_{50 (rat}): >5000mg/Kg

Note to Physician

No Specific Antidote

Manufacturer



DISTRIBUTED BY

The Mauritius Co-operative Agricultural Federation



UNITED DOCKS BUSINESS PARK-CAUDAN PORT LOUIS Tel: 211 0928/212 1360 Fax: 211 2261

Batch No: Date of production

DCCB Reg No: DCCB/AC/03/21/116

SAFETY PRECAUTIONS

-Wear rubber gloves, boots and face shield when spraying.

-Do not eat, drink, or smoke when mixing or spraying.

-Avoid inhaling spray mist.

-Wash contaminated skin with soap and water.

-Keep out of reach of children.

-Store in a cool place, away from food, feedstuff and seeds.

-In case of poisoning seek medical advice.

FIRST AID

IN CASE OF POISONING, contact a physician IMMEDIATELY. Take container, label or product name and DCCB Registration Number with you when seeking medical attention.

Skin: Non Irritant

Eve: Mild Irritant

Inhalation: May cause irritation of the mucous membranes, respiratory tract, headache and nausea.

Swallowed: toxic if swallowed. It may cause headache, vomiting and

There is no specific antidote if this product is ingested. If a large amount has been ingested and emesis is inadequate, lavage stomach. Treat symptomatically

25 gm



















