

MODE OF ACTION

Volley is a systemic insecticide with translaminar and with contact and stomach action.

DIRECTION OF USE

Target Pests: Aphids, mealybugs, scales, whiteflies and thrips

Crops: Eggplant, Bean, Okra, Cucurbits, Pepper, Chilli, Tomato, Chinese Cabbage, Citrus, Cowpea, Cassava, Garlic, Carrot, Pea, Leek, Onion, Potato, Strawberry

Dosage:

Crops: All Crops

Hectare (600Lt of water) -150 gm

Arpent (250 Lt of water) - 62.5 gm

Per Lt of Water -0.25 gm

Mixing Instruction

Add the required amount of Acetamiprid 20% SP in the tank mix containing enough water. Stir it properly and add it to the required quantity of water while stirring to get a homogeneous mixture. Spray immediately.

Number of Applications/ Interval

Maximum 3 applications per crop cycle at 14 days interval.

Re-entry period: 24 hours

Compatibility: Compatible with most Agro-chemical except Alkaline Products

Toxicity: Toxic to Aquatic organisms and Bees

Pre Harvest Interval (PHI)

2 days- cucurbits, strawberry; 7 Days- Okra, Bean, Chilli, Chinese Cabbage, cowpea, eggplant, cassava, sweet pepper, tomato, garlic, carrot, pea, leek, onion; 14 days - potato

VOLLEY

Acetamiprid 200 gm/Kg

INSECTICIDE

POISON

Neonicotinoid

FORMULATION: Soluble Powder

Acute Oral LD₅₀ (rat) male: >217 mg/Kg; female: 146 mg/kg

Acute Dermal LD₅₀ (rat): >2000mg/Kg

Note to Physician

No Specific Antidote

Manufacturer

WILLOWOOD CHEMICALS PVT LTD

DISTRIBUTED BY

The Mauritius Co-operative Agricultural Federation Ltd



UNITED DOCKS BUSINESS PARK-CAUDAN PORT LOUIS Tel: 211 0928/212 1360 Fax: 211 2261

Batch No:

Date of production

DCCB Reg No:

DCCB/AC/03/21/115

SAFETY PRECAUTIONS

-Wear rubber gloves, boots and face shield when spraying.

-Do not eat, drink, or smoke when mixing or spraying.

-Avoid inhaling spray mist.

-Wash contaminated skin with soap and water.

-Keep out of reach of children.

-Store in a cool place, away from food, feedstuff and seeds.

-In case of poisoning seek medical advice.

FIRST AID

IN CASE OF POISONING, contact a physician IMMEDIATELY. Take container, label or product name and DCCB Registration Number with you when seeking medical attention.

Skin: Non Irritant

Eye: Mild Irritant

Inhalation: May cause irritation of the mucous membranes, respiratory tract, headache and nausea.

Swallowed: toxic if swallowed. It may cause headache, vomiting and nausea.

There is no specific antidote if this product is ingested. If a large amount has been ingested and emesis is inadequate, lavage stomach. Treat symptomatically

NET WEIGHT 50 gm

