

### Mode of Action

ASH 50SC is a systemic fungicide with protective and curative action

### Target Diseases

Powdery mildew, Rusts, Blackrot, Leaf Spot. Brown Spot, Black Sigotaka.

**Crops:** Beans, Chillies, Eggplant, Tomatoes, Onion, Garlic, Banana, Mangoes, Watermelon

### Dosage

1 Lt of Water	Per Arpent (250Lt of Water)	Per Hectare (600 Lt of Water)
0.5 ml/L	125 ml	300 ml

### Mixing Instructions

Dilute the required amount in some water and transfer to mixing tank. Add required water, stir and transfer to sprayer tank.

**No of applications per crop cycle:** 8 times per crop cycle

**Pre-harvest interval:** 8 days

**Interval between application:** 7-10 days

**Re-entry Period:** 24 hours

**Stage of treatment:** Apply in the early stage of disease occurrence

**Toxicity to non target species:** None

## ASH 50SC

### FUNGICIDE

WHO CLASS III

POISON

**Active Ingredient: Hexaconazole 50 g/L**

Chemical Group: Triazole  
FORMULATION: Suspension concentrate

Acute Oral LD<sub>50</sub> > 5000 (Rats Male)

Acute Dermal LD<sub>50</sub> > 2000 (Rats)

### Manufacturer

**Spinochem Tech Co., Ltd**

### Distributor

**The Mauritius Co-operative Agricultural Federation Ltd**



UNITED DOCKS BUSINESS PARK-CAUDAN PORT LOUIS

Tel: 211 0928/212 1360 Fax: 211 2261

Batch No:

Manufacturer Date:

DCCB Reg No: DCCB/AC/10/22/249

### SAFETY PRECAUTIONS

-Wear rubber gloves, boots and face shield when spraying.

-Do not eat, drink, or smoke when mixing or spraying.

-Avoid inhaling spray mist.

-Wash contaminated skin with soap and water.

-Keep out of reach of children.

-Store in a cool place, away from food, feedstuff and seeds.

-In case of poisoning seek medical advice.

**FIRST AID:** IN CASE OF POISONING, contact a physician IMMEDIATELY. Take container, label or product name and DCCB Registration Number with you when seeking medical attention.

### FIRST AID MEASURES

**Skin Contact:** Rinse Skin immediately with plenty of water for 15 - 20 minutes

**Eye Contact:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after 5 minutes, continue rinsing the eye.

**Ingestion:** If swallowed, call doctor immediately for treatment advice. Do not induce vomiting unless told to do so. Do not give anything by mouth to unconscious person.

**Disclaimer:** The company is not liable to any damage caused by mishandling. Read label carefully. For any query, contact supplier.

Net weight/Content: 100 ML



NOCIF