

Mode of Action

Metalax 35% W.P. is a fungicide with protective and curative action, taken up by leaves, stems and roots

Target Diseases

Phytophthora and Phythium, Downy Mildew, Leaf spot

Crops: Tomatoes, Potatoes, Cabbages, Cauliflowers, Eggplant, Beans, Flowers

Dosage

1 Lt of Water	Per Arpent (250Lt of Water)	Per Hectare (600 Lt of Water)
0.5 gm	100 gm	250 gm

Mixing Instructions

Dilute the required amount in some water and transfer to mixing tank. Add required water, stir and transfer to sprayer tank.

Pre Harvest Interval

7 days for Tomatoes and 15 days for Potatoes and Onion

No of applications per crop cycle: 6 times per crop cycle

Interval between application: Each 7 days

Re-entry Period: Until spray has dried

Stage of treatment: Spray evenly on vegetable at the first sign of disease

Toxicity to non target species: None

METALAX 35% W.P.**FUNGICIDE****WHO CLASS III****POISON****Active Ingredient: Metalaxyl 35%**

Chemical Group: Acylalanine
FORMULATION: Wettable powder

Acute Oral: LD₅₀ 633mg/kg

Acute Dermal: LD₅₀ > 3100 mg/Kg

Manufacturer**Spinochem Tech Co., Ltd****Distributor**

**The Mauritius Co-operative Agricultural
Federation Ltd**



UNITED DOCKS BUSINESS PARK-CAUDAN PORT LOUIS

Tel: 211 0928/212 1360 Fax: 211 2261

Batch No:

Manufacturer Date:

DCCB Reg No: DCCB/AC/10/22/248

SAFETY PRECAUTIONS

-Wear rubber gloves, boots and face shield when spraying.

-Do not eat, drink, or smoke when mixing or spraying.

-Avoid inhaling spray mist.

-Wash contaminated skin with soap and water.

-Keep out of reach of children.

-Store in a cool place, away from food, feedstuff and seeds.

-In case of poisoning seek medical advice.

FIRST AID: IN CASE OF POISONING, contact a physician IMMEDIATELY. Take container, label or product name and DCCB Registration Number with you when seeking medical attention.

FIRST AID MEASURES

Skin Contact: Rinse Skin immediately with plenty of water for 15 - 20 minutes

Eye Contact: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after 5 minutes, continue rinsing the eye.

Ingestion: If swallowed, call doctor immediately for treatment advice. Do not induce vomiting unless told to do so. Do not give anything by mouth to unconscious person.

Disclaimer: The company is not liable to any damage caused by mishandling. Read label carefully. For any query, contact supplier.

Net weight/Content: 100 gm

**NOCIF**