

PRODUCT CHARACTERISTICS

FIST SUPER is a Selective herbicide, absorbed by roots and leaves. Affected plants die shortly after germination or following emergence from the soil

DIRECTION OF USE

FIST SUPER is used for control of most annual grasses and many annual broad-leaved weeds in Onions

RECOMMENDATIONS

CROP	DOSAGE/ Ha	DOSAGE/Arp	TIME OF APPLICATION
Onion	2.5Lt/ha	1.0Lt/Arp	Immediately after transplantation

WEEDS CONTROLLED

Echinochloa spp, Dinebra arabica, Ditaria Sanguinalis, Eurphorbia jenuculata, Portulaca oleracea, Amaranthus spp, Lantana camera, Eragrostis spp, Cammelina communis, Parthenium hysterophorus, Portulaca olacea, Branchiaria brizantha, Chloris spp, Elisine indica, Rottboellia cochinchinensis.

Re-entry period: 24 hours

Disclaimer: The company will not be liable for any misused, mishandled and damage caused by this product. Read label before using and for any queries, please contact your distributor

SHELF LIFE

2 Years from manufacturing Date

FIST SUPER**HERBICIDE**

WHO	III	HERBICIDE
POISON		

Contains 456 gm/Lt PENDIMETHALIN

FORMULATION: CAPSULE SUSPENSION

Acute Oral (LD₅₀mg/Kg): >5000 mg/Kg

Acute Dermal (LD₅₀mg/Kg): >2000mg/Kg



Manufacturer

UPL Limited

India

Distributor

The Mauritius Co-operative Agricultural Federation Ltd



UNITED DOCKS BUSINESS PARK-CAUDAN PORT LOUIS

Tel: 211 0928/212 1360 Fax: 211 2261

Batch No:

Manufacturer Date:

DCCB Reg No:DCCB/AC/06/22/216

SAFETY PRECAUTIONS

- Wear rubber gloves, boots and face shield when spraying.
- Do not eat, drink, or smoke when mixing or spraying.
- Avoid inhaling spray mist.
- Wash contaminated skin with soap and water.
- Keep out of reach of children.
- Store in a cool place, away from food, feedstuff and seeds.
- In case of poisoning seek medical advice.

FIRST AID

IN CASE OF POISONING, contact a physician IMMEDIATELY. Take container, label or product name and DCCB Registration Number with you when seeking medical attention.

Skin: Non Irritant

Eye: Mild Irritant

Inhalation: May cause irritation of the mucous membranes, respiratory tract, headache and nausea.

Swallowed: toxic if swallowed. It may cause headache, vomiting and nausea.

There is no specific antidote if this product is ingested. If a large amount has been ingested and emesis is inadequate, lavage stomach. Treat symptomatically

VOLUME 1LT



NOCIF