## PRODUCT CHARACTERISTICS SAFETY PRECAUTIONS MESO 10SC Meso 10SC Herbicide is a suspension concentrate herbicide that has soil residual activity and provides selective -Wear rubber gloves, boots and face shield when spraying. control or suppression of annual broadleaf weeds in field. Meso 10SC Herbicide has a high level of crop safety to allow for flexibility in application timing in field. In post-emergent applications, Meso 10SC Herbicide is HERBICIDE -Do not eat, drink, or smoke when mixing or spraying. absorbed through the leaves and is rapidly translocated to the plant's growing points. HERBICIDE GROUP 27 -Avoid inhaling spray mist. POISON -Wash contaminated skin with soap and water. WHO III -Keep out of reach of children. Contains 100g/L MESOTRIONE -Store in a cool place, away from food, feedstuff and seeds. FORMULATION: SOLUBLE CONCENTRATE (SC) MODE OF ACTION -In case of poisoning seek medical advice. MESO 10SC contains 100g/L of Mesotrione as active ingredient which inhibits the p-Hydroxyphenyl pyruvate Acute Oral (LD<sub>50</sub>mg/Kg): >5000 mg/Kg dioxygenase (HPPD), and ultimately affects carotenoid biosynthesis FIRST AID Acute Dermal (LD<sub>50</sub>mg/Kg): >5000mg/Kg DIRECTION FOR USE Manufacturer IN CASE OF POISONING, contact a physician IMMEDIATELY. Take container, SPINOCHEM TECH CO.LTD label or product name and Pest Control Product Registration Number with Pre-emergence and Early post Emergence control a wide range of annual broad leaf weeds you when seeking medical attention. **SPINO** RECOMMENDED RATE FOR SUGAR CANE Situation Meso 10SC Tank mix Partner\* Skin: Non Irritant oxyfluorfen Distributor 1.0 - 1.5 L/ha Pre-emergence > s-metolachlor (425-625 ml/arpent) Eye: Mild Irritant tebuthiuron The Mauritius Co-operative Agricultural > hexazinone + 2,4-D amine salt or fluroxypyr Inhalation: May cause irritation of the mucous membranes, respiratory tract, headache and nausea. Federation Ltd amicarbazone + 2,4 D amine salt or fluroxypyr Early post-emergence 1.0 L/ha (425ml/arpent) > s-metolachlor + 2,4 D amine salt or fluroxypyr Swallowed: Toxic if swallowed. It may cause headache, > tebuthiuron + 2,4 D amine salt or fluroxypyr \* As per rates recommended by MSIRI vomiting and nausea. STORAGE Store in the original container and keep closed. Store in cool, dry and well-ventilated place. United Docks Business Park - Caudan, Port Louis, Mauritius Do not store in hot or 0°C place. Keep out of reach of children and other unauthorized Tel: 211 0928/212 1360 Fax: 211 2261 There is no specific antidote if this product is ingested. If a persons. Keep away from food, seed and feeding stuffs. Avoid contact with eyes or large amount has been ingested and emesis is inadequate, SHELF LIFE lavage stomach. Treat symptomatically Batch No: Manufacturer Date: 2 Years from manufacturing Date VOLUME 1 LT DCCB Reg No: DCCB/AC/10/22/251