

MODE OF ACTION

Triclopyr 480 EC is a broad spectrum systemic herbicide active primarily through the leaves and cut surfaces and to lesser extent via the roots. It helps to eliminate broad leaf weeds as well as woody species bush and trees.

DIRECTION FOR USE

Triclopyr 480 EC is a Selective Post Emergence Herbicide

Crop

Sugar cane and established grass species. Non

Dosage

1. Control of broad leaf weeds: 1 Lt Triclopyr 480 EC + 200 ml Wetting Agent in 250 Lt of Water per Arpent sprayed on leaves.
2. Control of bushes: 2.5 L Triclopyr 480 EC + 200 ml Wetting Agent in 250 Lt of Water per Arpent sprayed on leaves.
3. Control of Shrubs (Diameter < 15 cm) 250 ml of Triclopyr in 1 Litre of Mineral oil or Vegetable Oil sprayed on the bark base or around stem.
4. Control of Trees: 250 ml of Triclopyr in 1 Litre of Mineral oil or Vegetable Oil sprayed on cut stump

Mixing Instructions

Placed the required amount of diluent in the mixing tank, add Triclopyr 480 EC and mix thoroughly

Applications

For best results, apply Triclopyr 480 EC when woody plants and weeds are actively growing. Ensure uniform coverage on target plants and re-apply if there is regrowth

Phytoxicity

Do not apply Triclopyr 480EC to grapes, tobacco, vegetable crops, flowers or any desirable broadleaf plants

Toxicity

Toxicity to non target organisms, non toxic to birds and bees, very toxic to aquatic organisms

Restrictions

Do not plant dicotyledonous plants 6-12 months after an application of Triclopyr 480EC

Re Entry period: 12 hrs

Storage: Store in the original container and keep closed. Store in cool, dry and well-ventilated place.

Shelf Life: 2 Years from manufacturing Date

TRICLOPYR 480 EC

HERBICIDE

POISON

WHO CLASS II

Contains 480g/L Triclopyr

FORMULATION: Emulsifiable Concentrate

Acute Oral (LD₅₀mg/Kg): >1581 mg/KgAcute Dermal (LD₅₀mg/Kg): >5000mg/Kg

Note to Physician: If lavage is performed, suggest endotracheal and /or oesophageal control. Apply symptomatic therapy

Manufacturer**Spinochem Tech Co.,Ltd****Distributor****The Mauritius Co-operative Agricultural Federation Ltd****United Docks Business Park - Caudan, Port Louis, Mauritius**

Tel: 211 0928/212 1360 Fax: 211 2261

Batch No:

Manufacturer Date:

DCCB Reg No:DCCB/AC/08/22/242

SAFETY PRECAUTIONS

- Wear rubber gloves, boots and face shield when spraying.
- Do not eat, drink, or smoke when mixing or spraying.
- Avoid inhaling spray mist.
- Wash contaminated skin with soap and water.
- Keep out of reach of children.
- Store in a cool place, away from food, feedstuff and seeds.
- In case of poisoning seek medical advice.

FIRST AID

In case of skin contact: Wash off with clean water

In case of eye contact: Irrigate eyes with clean water for 15 minutes

In case of inhalation: Remove to fresh air and contact a doctor

In case of ingestion: Do not induce vomiting. Call a doctor and /or transport to emergency facility immediately

IN CASE OF POISONING, contact a physician IMMEDIATELY. Take container, label or product name and DCCB Registration Number with you when seeking medical attention.

User's risk

The user bears the risk for damage resulting from factors beyond the manufacturers and distributor's control. All recommendations for use of the product are based on the current state of knowledge. Since the manufacturer and distributor cannot control the application, use, storage or processing of the product, the manufacturer and distributor cannot accept responsibility therefore.

VOLUME**500 ML****NOCIF**