

**MODE OF ACTION**

BESTA 150 is a non selective contact herbicide. It leads to an increase in ammonium levels in plant tissues. This causes photosynthesis to stop and eventually the plants dies in a few days.

**DIRECTION FOR USE**

BESTA 150 is a Post-Emergence herbicide and control a wide range of annual, perennial and broadleaf weeds.

**CROP**

Pre -painted sugarcane fields,walkways, road sides and general applications.

**DOSAGE**

| Crop   | Rate   |
|--|--|
|  | L/Arp (200Lt of water)   |
| Sugarcane (if weeds are present at planting) | 500-700 ml of Besta 150 mixed with any pre-emergence herbicides (Oxyfluorfen or Diuron) or 1.0-2.0 Lt in 200 Lt water per Arpent |
| General Application (Before Planting)        | 1.0-2.0 Lt of Besta 150 in 200Lt of water per Arpent   |
| Non-crop lands,Walkways, Roadside            | 1.0Lt of Besta 150 + 1 KG OF Diuron in 200 Lt of water per Arpent  |

**MIXING INSTRUCTIONS:** Use clean water. Fill sprayer/tank upto 1/4 of its capacity. Add appropriate amount of herbicide in the tank and mix thoroughly by agitation. Fill the remainder of spayer/tank with water

**USE RESTRICTIONS**

Avoid drift on desired plants during the application of Delta 150 SL

**TOXICITY TO NON TARGET ORGANISMS**

Non hazardous for bees and birds

**INHALATION TOXICITY**

Lc50 (4hr, rat) >2.97mg/l(a.i)

**RE-ENTRY PERIOD:** 24 hrs

**COMPATIBILITY**

Compatible with the above mentioned chemicals

**PHYTOTOXICITY:** Non -selective herbide

**SHELF LIFE:** 2 Years from manufacturing Date

**BESTA 150****Amino-Phosphinates**

HERBICIDE

POISON

WHO CLASS III

**Contains Glufosinate Ammonium 150g/L**

FORMULATION: SOLUBLE CONCENTRATE (SL)

Acute Oral (LD<sub>50</sub>mg/Kg): >2000 mg/Kg

Acute Dermal (LD50mg/Kg): >593mg/Kg

**Manufacturer**

Spinochem Tech Co.,Ltd

**Distributor**

The Mauritius Co-operative Agricultural Federation Ltd



United Docks Business Park - Caudan, Port Louis, Mauritius

Tel: 211 0928/212 1360 Fax: 211 2261

Batch No:

Manufacture Date:

DCCB Reg No: DCCB/AC/06/22/214

**SAFETY PRECAUTIONS**

-Wear rubber gloves, boots and face shield when spraying.  
-Do not eat, drink, or smoke when mixing or spraying.

-Avoid inhaling spray mist.  
-Wash contaminated skin with soap and water.  
-Keep out of reach of children.  
-Store in a cool place, away from food, feedstuff and seeds.

**FIRST AID**

IN CASE OF POISONING, contact a physician IMMEDIATELY. Take container, label or product name and DCCB Registration Number with you when seeking medical attention.

**Skin:** Non Irritant

**Eye:** Mild Irritant

**Inhalation:** May cause irritation of the mucous membranes, respiratory tract, headache and nausea.

**Swallowed:** Toxic if swallowed. It may cause headache, vomiting and nausea.

**Antidote**

There is no specific antidote. Treat symptomatically

**VOLUME**

**1 Lt**



**CAUTION**