

MODE OF ACTION

Vento is a suspension concentrate systemic insecticide for the control of the insects mentioned on the crops listed.

DIRECTION OF USE

Target Pests: Aphids, Mealybug, Thrips and Whitefly

Crops: Potato, Tomato, Pepper, cucurbits, Crucifers, Onion, Bean, Melon, Strawberry, maize, Ornamentals, Beetrot, Pea, Cowpea, Garlic, Eggplant, Lettuce, Okra, leek, radish, chilli

Dosage

Pests	Dosage		
	Per Litre of water	Per Arpent (250Lt of Water)	Per Hectare (600 Lt of water)
Aphids, Mealybug, Thrips and Whitefly	1.0 ml	250 ml	600 ml

Mixing Instruction

Shake the container well before use. Half fill spray tank with clean water. Add the required amount of Vento. Start agitation. Finish filling the tank. Maintain agitation throughout application.

Number of Applications/ Interval

2-3 applications. Alternate with other insecticides having different mode of action to avoid resistance. Interval: 7-14 days depending level of infestation

Re-entry period: 24 hours

Inhalation Toxicity for rat: 2.8mg/L (4 hr) **Compatibility:** Compatible with most Agro-chemicals.

Toxicity: Toxic to Aquatic Animals

Pre Harvest Interval (PHI)

7 days

**VENTO**

Contains: **Spirotetramat -100gm/L**

INSECTICIDE

POISON

Family/Group: Tetric acid

FORMULATION: Soluble Concentrate

Acute Oral (LD₅₀) rat: male: >2000mg/Kg

Acute Dermal (LD₅₀) rabbit: >2000mg/Kg

WHO CLASS III

Note to Physician

No Specific Antidote.

Manufacturer

Spinochem Tech Co.,Ltd

DISTRIBUTED BY

The Mauritius Co-operative Agricultural Federation Ltd



UNITED DOCKS BUSINESS PARK-CAUDAN PORT LOUIS Tel: 211 0928/212 1360 Fax: 211 2261

Batch No:

Date of production

DCCB Reg No: DCCB/AC/09/21/161

**SAFETY PRECAUTIONS**

-Wear rubber gloves, boots and face shield when spraying.

-Do not eat, drink, or smoke when mixing or spraying.

-Avoid inhaling spray mist.

-Wash contaminated skin with soap and water.

-Keep out of reach of children.

-Store in a cool place, away from food, feedstuff and seeds.

-In case of poisoning seek medical advice.

FIRST AID

IN CASE OF POISONING, contact a physician IMMEDIATELY. Take container, label or product name and DCCB Registration Number with you when seeking medical attention.

Skin: Non Irritant

Eye: Mild Irritant

Inhalation: May cause irritation of the mucous membranes, respiratory tract, headache and nausea.

Swallowed: toxic if swallowed. It may cause headache, vomiting and nausea.

There is no specific antidote if this product is ingested. If a large amount has been ingested and emesis is inadequate, lavage stomach. Treat symptomatically

VOLUME

250 ML

