

MODE OF ACTION

2,4-D 720G/L SL is a selective contact herbicide

DIRECTION FOR USE

2,4 D 720 g/L SL is a post-emergence herbicide for the control of annual and perennial broad-leaved weeds.

Crop

Sugar cane and non crop land

Dosage

Crops	L/ha	L/Arpent	20 L Water
Sugarcane	3L	1.25 L	125 ml

Mixing Instructions

Thoroughly mix with clean water. If mixture need to be applied with another herbicide formulation, mix powder first, then add 2,4-D 720G/L SL while stirring

Restrictions

The pesticide is toxic to some plants at very low concentrations. Non target plants may be adversely affected if pesticide is allowed to drift from areas of application.

Phytotoxicity

Phytotoxic to broad leaved crops especially tomatoes,ornamentals and fruit trees

Toxicity

Highly toxic to fish

Re Entry period: 24 hrs

Storage: Store in the original container and keep closed. Store in cool, dry and well-ventilated place.

Shelf Life: 2 Years from manufacturing Date

2,4-D 720g/L SL

HERBICIDE (Aryoxyalkanoic Acid)

POISON

WHO CLASS II

Contains 2,4 D Amine Salt 720 g/L

FORMULATION: SOLUBLE LIQUID

Acute Oral (LD₅₀mg/Kg): >3600 mg/Kg

Acute Dermal (LD₅₀mg/Kg): >5000mg/Kg

Manufacturer

Zhejiang Xinan Chemical Industrial Group Co., Ltd

Distributor

The Mauritius Co-operative Agricultural Federation Ltd



United Docks Business Park - Caudan, Port Louis, Mauritius

Tel: 211 0928/212 1360 Fax: 211 2261

Batch No:

Manufacturer Date:

DCCB Reg No: DCCB/AC/12/21/181

SAFETY PRECAUTIONS

-Wear rubber gloves, boots and face shield when spraying.
-Do not eat, drink, or smoke when mixing or spraying.

-Avoid inhaling spray mist.
-Wash contaminated skin with soap and water.
-Keep out of reach of children.
-Store in a cool place, away from food, feedstuff and seeds.
-In case of poisoning seek medical advice.

FIRST AID

IN CASE OF POISONING, contact a physician IMMEDIATELY. Take container, label or product name and DCCB Registration Number with you when seeking medical attention.

Skin: Non Irritant

Eye: Mild Irritant

Inhalation: May cause irritation of the mucous membranes, respiratory tract, headache and nausea.

Swallowed: Toxic if swallowed. It may cause headache, vomiting and nausea.

Antidote

There is no specific antidote. Treat symptomatically

VOLUME

1LT



NOCIF