

**MODE OF ACTION**

BROMA 800WP is a systemic herbicide that controls a range of grass and broadleaf weed species. It is absorbed mainly through the roots with some leaf absorption. Its main use is in citrus, pineapple and for residual weed control in non crop areas.

**CROPS**

Citrus, Pineapple , Non-Crop Land

**DOSAGE**

CROP	Application Dose*	
	Kg / ha	Kg / arp
Pineapple and Citrus*	1.2 -2.37	0.5 - 1.0
Non Crop Land	4.74	2.0

Depending on the growth stage of weeds

**MIXING INSTRUCTIONS**

Use clean water. Add product as per rate to 1/4 of volume of water required. Stir well. Complete the volume and stir again.

**RESTRICTIONS**

The pesticide is toxic to some plants at very low concentrations. Non target plants, particularly vegetables and ornamentals, may be adversely affected if pesticide is allowed to drift from areas of application.

**USE RESTRICTIONS**

Do not apply near desirable plants or trees (such as wind breaks in citrus orchards and ornamental trees along roads and streets or on areas, where their roots may extend) or in locations where the chemical may be washed or moved into contact with their roots.

**TOXICITY TO NON TARGET ORGANISMS**

Hazardous for aquatic animals

**Restricted Entry Interval (REI):**

12 Hours

**FREQUENCY:** Mximum 2 applications per year

**STORAGE:** Store in the original container and keep closed. Store in cool, dry and well-ventilated place.

**SHELF LIFE:** 2 Years from manufacturing Date

## BROMA 800WP

### Active Ingredient: Bromacil 800 gm/Kg

**POISON**

**WHO CLASS U  
HERBICIDE  
GROUP (URACIL)**

FORMULATION: Wettable Powder

Antidote: Treat Symptomatically

Acute Oral (LD50mg/Kg): >2000 mg/Kg

Acute Dermal (LD50mg/Kg): >5000mg/Kg

Skin: Irritant

Eye: Irritant

**Manufacturer**

Spinochem Tech Co.,Ltd

**Distributor**

**The Mauritius Co-operative Agricultural  
Federation Ltd**



United Docks Business Park - Caudan, Port Louis, Mauritius

Tel: 211 0928/212 1360 Fax: 211 2261

Batch No:

Manufacturer Date:

DCCB Reg No: MOH-DCCBREDC-2023-25

**SAFETY PRECAUTIONS**

-Wear rubber gloves, boots and face shield when spraying.

-Do not eat, drink, or smoke when mixing or spraying.

-Avoid inhaling spray mist.

-Wash contaminated skin with soap and water.

-Keep out of reach of children.

-Store in a cool place, away from food, feedstuff and seeds.

-In case of poisoning seek medical advice.

ⓧ Do not contaminate ponds and rivers

ⓧ Do not re-use empty containers

-Do not re-use empty containers

ⓧ Dispose empty containers safely, considering the environment

**FIRST AID**

IN CASE OF POISONING, contact a physician IMMEDIATELY. Take container, label or product name and DCCB Registration Number with you when seeking medical attention.

**Inhalation:** May cause irritation of the mucous membranes, respiratory tract, headache and nausea.

**Swallowed:** Toxic if swallowed. It may cause vomiting, nausea and Diarrhea.

**Antidote:** There is no specific antidote. Treat symptomatically

**Net Weight 500 gm**



**NOCIF**