

MDE OF ACTION

Metsulfuron-methyl 60% WG is a systemic herbicide with foliar and soil activity and it works rapidly after it is taken up by the plant. Its mode of action is by inhibiting cell division in the shoots and roots of the plant, and it is biologically active at low use rates. Metsulfuron-methyl 600g/kg WG is used as a selective pre- and postemergence herbicide for broadleaf weeds and some annual grasses.

CROPS: Sugarcane, Non Crop Land

Recommended Rate for Sugarcane

1. " WATOUK' -Clidemia hirta

	Per Hectare (600 Lt Water)	Per Arpent (250 Lt Water)
Metsulfuron-methyl 60% WG + Fluroxypyr 200 EC	24 gm + 1.2-1.8 Lt	10 gm + 0.5 -0.75 Lt

2. Songe, herbe bol, herbe de l'eau, saranthi

	Per Hectare (600 Lt Water)	Per Arpent (250 Lt Water)
Metsulfuron-methyl 60% WG	60 gm	25 gm

Non Crop Land

	Per Hectare (600 Lt Water)	Per Arpent (250 Lt Water)
Metsulfuron-methyl 60% WG + Fluroxypyr 200 EC	48 gm + 1.2-1.8 Lt	20 gm + 0.5 -0.75 Lt

Re Entry period: 24 hrs

Storage: Store in the original container and keep closed. Store in cool, dry and well-ventilated place.

Shelf Life: 2 Years from manufacturing Date

Metsulfuron-methyl 60% WG

GROUP B HERBICIDE

POISON

WHO CLASS U

Contains 600g/Kg Metsulfuron Methyl

FORMULATION: WATER DISPERSIBLE GRANULE

Acute Oral (LD₅₀mg/Kg): >5000 mg/Kg

Acute Dermal (LD₅₀mg/Kg): >2000mg/Kg

Manufacturer

Spinochem Tech Co.,Ltd

Distributor

The Mauritius Co-operative Agricultural Federation Ltd



United Docks Business Park - Caudan, Port Louis, Mauritius

Tel: 211 0928/212 1360 Fax: 211 2261

Batch No:

Manufacturer Date:

DCCB Reg No: DCCB/AC/07/21/144

SAFETY PRECAUTIONS

- Wear rubber gloves, boots and face shield when spraying.
- Do not eat, drink, or smoke when mixing or spraying.
- Avoid inhaling spray mist.
- Wash contaminated skin with soap and water.
- Keep out of reach of children.
- Store in a cool place, away from food, feedstuff and seeds.
- In case of poisoning seek medical advice.

FIRST AID

IN CASE OF POISONING, contact a physician IMMEDIATELY. Take container, label or product name and DCCB Registration Number with you when seeking medical attention.

Skin: Non Irritant

Eye: Mild Irritant

Inhalation: May cause irritation of the mucous membranes, respiratory tract, headache and nausea.

Swallowed: Toxic if swallowed. It may cause headache, vomiting and nausea.

Antidote

There is no specific antidote. Treat symptomatically

NET WEIGHT

25 GM

