

**Mode of action**

TOPGUN 150 EC is a systemic, selective and post emergence herbicide which is absorbed via the foliage and translocated through xylem and phloem.

**Weeds Controlled:**

Annual and perennial grass weeds in onions, beets, potatoes, cucumbers, tomatoes, brassicas, pepper, beans, peas, carrot, vegetables, fruits, ornamental and other broad leaved crops

**Dosage**

Weeds/ Weedheight	Rate L/ha	Rate L/arp
Annual grasses: < 120 mm	0.83	0.35
120 -250mm	1.25	0.53
>250 mm	1.70	0.72

Mature perennial grasses: Undisturbed rhizomes	2.5 - 5.0	1.1 - 2.1
Fragmented rhizomes	1.70 - 3.4	0.72- 1.43

**Sugar Cane Ripener:**

Expected yield	L/HA	Volume of water
50 - 100	270 - 335 ml	40 L / Ha
> 100 or last ratoons	400 ml	40 L /Ha

Add an anti drift agent at the rate of 3 ml per litre of spray solution

**Mixing Instruction:**Add required amount of product with water and transfer to sprayer.

**Pre Harvest Intervals:**

Onions: 28 days, Cucumbers: 30 days, Tomatoes: 35 days, Brassicas, pepper, beans and peas: 49 days, Strawberries: 42 days, Carrots and potatoes: 56 days

**Warning**

**Re entry period:** 12 hrs

**Compatibility with other pesticide:**

Normally used alone

**Phytotoxicity:**Major risk to monocotyledons

**Uses restrictions:** Do not apply in windy conditions and on young onions. In fruits apply only till the start of blooming and in ornamentals, begin application with first year of culture

**Toxicity to non target organisms:** Non toxic to bees

**TOPGUN 150 EC**

SUGAR CANE RIPENER AND  
HERBICIDE

**Poison**

Contains Fluzifop-p-butyl 150 g/L

Formulation: Emulsifiable Concentrate (EC)

Chemical group: Aryloxyphenoxypropionate

Acute Oral LD50 (rat) : > 2000mg/Kg

Acute DermalLD50 (rat) : > 4000 mg/Kg

**Manufacturer**

SPINOCHEM TECH CO., LTD

**Distributor**

MAURITIUS CO-OPERATIVE AGRICULTURAL  
FEDERATION LTD



United Docks Business Park - Caudan, Port  
Louis, Mauritius

Tel: 211 0928/212 1360 Fax: 211 2261

Date of Manufacture:

Batch No:

DCCB Reg No:MOH-DCCBREDC-2023-38

**SAFETY PRECAUTIONS**

- Wear rubber gloves, boots and face shield when spraying.
- Do not eat, drink, or smoke when mixing or spraying.
- Avoid inhaling spray mist.
- Keep out of reach of children.
- Store in a cool place, away from food, feedstuff and seed.
- Wash contaminated skin with soap and water.

**FIRST AID**

IN CASE OF POISONING, contact a physician IMMEDIATELY. Take container, label or product name and DCCB Registration Number with you when seeking medical attention.

**Skin:** Irritant

**Eye:** Irritant

**Inhalation:** Move the person to fresh air.

**Swallowed:** If swallowed, do not induce vomiting, seek medical advice immediately and show the container or label

**Antidote:** No specific antidote.To treat symptomatically.If gastric lavage is done,prevent aspiration of gastric material.Consider administration of active charcoal and a laxative.

**NET VOLUME: 1 L**



**CAUTION**