







20%百草枯1 L卷标:280x135mm 800张 ( NO.SASG2302230100) 3月14日前货送当涂小分装  
 标签请用美国艾利纸印刷(不干胶型号为5209, 背纸白色且有FASSON暗纹)

<b>MODE OF ACTION</b> Non-selective Contact Herbicide <b>DIRECTIONS FOR USE AND DOSAGE.</b> Weeds controlled: Broad leaved weeds and grasses Crops: Sugar Cane, vegetable crops and non-crop land Dosage:			<b>PARAQUAT 276 SL</b> Paraquat Dichloride 276 g/l SL <b>HERBICIDE</b> Bipyridyl <b>POISON</b> W.H.O CLASS II Oral LD50 rat - 707mg/kg Dermal LD50 rat - 590 mg/kg Antidote : No specific antidote. Name of Manufacturer WILLOWOOD LIMITED			<b>SAFETY PRECAUTIONS</b> -Wear rubber gloves and boots when spraying. -Do not eat, drink or smoke while handling product. -Do not inhale spray mist. -Wash hands and face with soap and water after handling the herbicide. -Keep out of reach of children. -Store in a cool place, away from food and feed. -Do not contaminate food, eating utensils, feed and drinking water. -Do not contaminate ponds and rivers. -Clean sprayer after use and rinse three times. -Do not re-use empty containers. -Handle with care. -Harmful if swallowed. <b>First aid</b> -Eye splashes: flush eyes for 10-15 minutes with clean water,consult a doctor. -Skin splashes: wash it off at once. -If swallowed make the person vomit.Immediately take him and the container and label to hospital for emergency medical treatment. <b>Emergency medical treatment</b> Give 1.0 L suspension of Fuller's Earth (15%) or Bentonite (7%) or activated charcoal. Also Give purgative e.g. Mannitol (20% solution).																	
<table border="1"> <thead> <tr> <th>Situation</th> <th>Rate/Arpent</th> <th>Remarks</th> </tr> </thead> <tbody> <tr> <td>Sugar Cane</td> <td>0.4 - 0.5 L</td> <td>At planting</td> </tr> <tr> <td>Sugar Cane</td> <td>0.5 - 0.75 L</td> <td>Directed spray</td> </tr> <tr> <td>Vegetable Crops</td> <td>0.75 - 1 L</td> <td>Total Weed control</td> </tr> <tr> <td>Non-Crop land</td> <td>0.75 - 1.25 L</td> <td></td> </tr> </tbody> </table>			Situation	Rate/Arpent	Remarks	Sugar Cane	0.4 - 0.5 L	At planting	Sugar Cane	0.5 - 0.75 L	Directed spray	Vegetable Crops	0.75 - 1 L	Total Weed control	Non-Crop land	0.75 - 1.25 L		 <b>Importer / Distributor</b>  <b>The Mtius Coop Agricultural Fed. Ltd</b> Caudan, Port Louis.Tel. 212-1360 Date of manufacture: 25 MAR,2023 Batch No. : WP20230325 DCCB Reg. No : DCCB/AC/17/09/181 			<p style="text-align: right;"><b>Net Weight/Content : 1Lt</b></p>		
Situation	Rate/Arpent	Remarks																					
Sugar Cane	0.4 - 0.5 L	At planting																					
Sugar Cane	0.5 - 0.75 L	Directed spray																					
Vegetable Crops	0.75 - 1 L	Total Weed control																					
Non-Crop land	0.75 - 1.25 L																						
<b>MIXING INSTRUCTION.</b> Mix the required quantity of Paraquat 276 SL with clean water in the spray tank. Do not use muddy water. When mixed with another herbicide(s) follow the mixing instructions on that label. With Knapsack and hand-held sprayers, mix 1 part of Paraquat 276 SL with 40 parts of water. <b>WARNING</b> Re-entry period: 24 hours Toxicity to non target organisms: Toxic to bees Phytotoxicity: Non-selective herbicide. Do not apply on desired plants and do not allow drift. Compatibility: Compatible with other herbicides. Can be mixed with pre-emergence herbicides such as Diuron 800 SC and Atrazine 500 SC. Use restrictions: Do not spray in windy conditions. Pre-harvest interval: Sugar cane (feeding & grazing) 21 days. Inhalation toxicity: 0.5-1.5 g/L/4hrs			  																				

标签完成后, 请寄两份标签至以下地址, 谢谢。  
 姚柔静 0571-28006785杭州市拱墅区庆春路118号2003室