MODE OF ACTION		DIURON 80% WG	SAFETY PRECAUTIONS
DIURON 80%WG is a systemic pre-emergence herbicide with a long residual action.		Substituted Urea Group	-Wear rubber gloves, boots and face shield when spraying.
DIRECTION FOR USE		HERBICIDE	-Do not eat, drink, or smoke when mixing or spraying.
Diuron 80% WG herbicide for the control of annual weeds and broad leaved weeds.		POISON	
CROP		WHO CLASS U	-Avoid inhaling spray mist. -Wash contaminated skin with soap and water.
Sugarcane (if weeds are present at planting)		Contains Diuron 800g/Kg WG	-Keep out of reach of children.
DOSAGE Rate		FORMULATION: WATER DISPERSIBLE GRANULE	-Store in a cool place, away from food, feedstuff and seeds.
In Pre-Emergence	L/Arp (200Lt of water)		
1	1 Kg Diron 80% WG	Acute Oral (LD _{so} mg/Kg): >1879 mg/Kg Acute Dermal (LD50mg/Kg): >5000mg/Kg	FIRST AID
2	Mix 1Kg of Diuron 80%WG + 1 Lt Oxyfluorfen 240EC	Manufacturer	IN CASE OF POISONING, contact a physician IMMEDIATELY. Take container, label or product name and DCCB Registration Number
In Post Emergence			with you when seeking medical attention.
1	Mix 1Kg of Diuron 80%WG with 1.25 Litre of 2,4 Amine Salt (Dical)	Ningxia Wynca Technology Co., Ltd.	
	Mix 1Kg of Diuron 80%WG + 300 gm Hexazinone (Trend)+ 1.25 Litre of 2,4 Amine Salt (Dical)	Ningxia wynca reciniology cu., Ltu.	
MIXING INSTRUCTIONS: Use clean water. Fill sprayer/tank upto 1/4 of its capacity. Dissolve flowables or granules first then add liquid formulation followed by adding adjuvats at the end. Fill the tank.		Distributor	
USE RESTRICTIONS Do not use Diuron 80%WG on susceptible cane varieties (R 570 and M555/70) TOXICITY TO NON TARGET ORGANISMS		The Mauritius Co-operative Agricultural Federation Ltd	Skin: Non Irritant Eye: Mild Irritant
Non -Toxic to bees, modertely to highly toxic to fish an other aquatic animals		6	Inhalation: May cause irritation of the mucous membranes, respiratory tract, headache and nausea.
INHALATION TOXICITY Lc50 (4hr,rat) >2.97mg/l(a.i)			Swallowed: Toxic if swallowed. It may cause headache, vomiting and nausea.
RE-ENTRY PERIOD: 24 hrs			anu nausea.
		United Docks Business Park - Caudan, Port Louis, Mauritius	Antidote
Compaible with the above mentioned chemicals		Tel: 211 0928/212 1360 Fax: 211 2261	There is no specific antidote. Treat symptomatically
		Batch No: Manufacturer Date: DCCB Reg No: DCCB/AC/02/22/191	VOLUME 1Kg
#		NOCIF	