

**MODE OF ACTION**

Delta 150 SL is a non selective contact herbicide. It leads to an increase in ammonium levels in plant tissues. This causes photosynthesis to stop and eventually the plants dies in a few days.

**DIRECTION FOR USE**

Delta 150 SL is a Post-Emergence herbicide and control a wide range of annual, perennial and broadleaf weeds.

**CROP**

Pre-painted sugarcane fields, walkways, road sides and general applications.

**DOSAGE**

Crop	Rate
	L/Arp (200Lt of water)
Sugarcane (if weeds are present at planting)	500-700 ml of herbicide mixed with any pre-emergence herbicides (Oxyfluorfen or Diuron) or 1.0-2.0 Lt in 200 Lt water per Arpent
General Application (Before Planting)	1.0-2.0 Lt of Delta 150 SL in 200Lt of water per Arpent
Walkways, Roadside	1.0Lt of Delta 150 SL + 1 KG OF Diuron in 200 Lt of water per Arpent

**MIXING INSTRUCTIONS:** Use clean water. Fill sprayer/tank upto 1/4 of its capacity. Add appropriate amount of herbicide in the tank and mix thoroughly by agitation. Fill the remainder of spayer/tank with water

**USE RESTRICTIONS**

Avoid drift on desired plants during the application of Delta 150 SL

**TOXICITY TO NON TARGET ORGANISMS**

Non hazardous for bees and birds

**INHALATION TOXICITY**

Lc50 (4hr, rat) >2.97mg/l(a.i)

**RE-ENTRY PERIOD:** 24 hrs

**COMPATIBILITY**

Compatible with the above mentioned chemicals

**PHYTOTOXICITY:** Non-selective herbicide

**SHELF LIFE:** 2 Years from manufacturing Date

**DELTA 150 SL****Amino-Phosphinates**

HERBICIDE

POISON

WHO CLASS III

**Contains Glufosinate Ammonium 150g/L**

FORMULATION: SOLUBLE CONCENTRATE (SL)

Acute Oral (LD<sub>50</sub>mg/Kg): >2000 mg/Kg  
Acute Dermal (LD50mg/Kg): >593mg/Kg

**Manufacturer**

Zhejiang Xinan Chemical Industrial Group Co., Ltd

**Distributor**

The Mauritius Co-operative Agricultural Federation Ltd



United Docks Business Park - Caudan, Port Louis, Mauritius

Tel: 211 0928/212 1360 Fax: 211 2261

Batch No:

Manufacturer Date:

DCCB Reg No: DCCB/AC/12/21/180

**SAFETY PRECAUTIONS**

- Wear rubber gloves, boots and face shield when spraying.
- Do not eat, drink, or smoke when mixing or spraying.
- Avoid inhaling spray mist.
- Wash contaminated skin with soap and water.
- Keep out of reach of children.
- Store in a cool place, away from food, feedstuff and seeds.

**FIRST AID**

IN CASE OF POISONING, contact a physician IMMEDIATELY. Take container, label or product name and DCCB Registration Number with you when seeking medical attention.

**Skin:** Non Irritant

**Eye:** Mild Irritant

**Inhalation:** May cause irritation of the mucous membranes, respiratory tract, headache and nausea.

**Swallowed:** Toxic if swallowed. It may cause headache, vomiting and nausea.

**Antidote**

There is no specific antidote. Treat symptomatically

**VOLUME**

**1 Lt**



**CAUTION**

