

MODE OF ACTION

Snailout is a stomach and contact molluscicide

DIRECTION OF USE

Target Pests:

For the control of Snails, Slugs in Seedlings and mature crops of vegetable and flowers, potted plants and all areas where snails and slugs congregate

Crops:

Orchards, vegetables and flowers cultivation

Dosage

Pellets to be scattered around plants at the rate of 10 gm (1 tablespoon) per meter square

Toxicity to non target organisms: High acute and long term risk to granivorous birds

May be harmful if swallowed, inhaled, or absorbed through the skin. Do not breathe dust, get in eyes, on skin or on clothing. If poisoning occurs, obtain prompt medical aid. Keep granules away from dogs and pets. Bait may be attractive to dogs.

Confine pets during application to prevent them from believing they are being fed.

Storage and Disposal

Store in the closed, original container in a dry, well-ventilated area, as cool as possible out of direct sunlight.

DO NOT store or expose product to wet conditions. Keep from contact with fertilisers, fungicides and seeds.

Single-rinse or shake remainder into spray tank. Do not dispose of undiluted chemicals on site. Puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

SNAILOUT

Contains: **Metaldehyde 60g/Kg**
Molluscicide

POISON

WHO CLASS: II

Chemical Family: Acetaldehyde tetramer

Formulation: Granular

Acute Oral (LD₅₀) rat: 283 mg/Kg

Acute Dermal (LD₅₀)rat: >5000mg/Kg

Antidote:Atropine Sulphate

Manufacturer

**Zhejiang Xinan Chemical Industrial Group
Co., Ltd.**

DISTRIBUTED BY

**The Mauritius Co-operative Agricultural Federation
Ltd**



**UNITED DOCKS BUSINESS PARK-CAUDAN PORT LOUIS Tel: 211
0928/212 1360 Fax: 211 2261**

Batch No:

Date of production

DCCB Reg No: DCCB/AC/03/22/201



HARMFUL

SAFETY PRECAUTIONS

-Wear rubber gloves, boots and face shield when spraying.

-Do not eat, drink, or smoke when mixing or spraying.

-Avoid inhaling spray mist.

-Wash contaminated skin with soap and water.

-Keep out of reach of children.

-Store in a cool place, away from food, feedstuff and seeds.

-In case of poisoning seek medical advice.

FIRST AID

IN CASE OF POISONING, contact a physician IMMEDIATELY. Take container, label or product name and DCCB Registration Number with you when seeking medical attention.

Skin: Non Irritant

Eye: Mild Irritant

Inhalation: May cause irritation of the mucous membranes, respiratory tract, headache and nausea.

Swallowed: toxic if swallowed. It may cause headache, vomiting and nausea.

Note to physician: Gastric lavage should be considered if potentially life-threatening levels of Metaldehyde have been ingested.

NET WEIGHT

500 GM

