MODE OF ACTION		DIURON 80		SAFETY PRECAUTIONS	
DIURON 80 is a systemic pre-emergence herbicide with a long residual action.		Substituted Urea Group		-Wear rubber gloves, boots and face shield when spraying.	
DIRECTION FOR USE		HERBICIDE		-Do not eat, drink, or smoke when mixing or spraying.	
Diuron 80 herbicide for the control of annual weeds and broad leaved weeds.		POISON			
CROP		WHO CLASS U		-Avoid inhaling spray mist. -Wash contaminated skin with soap and water.	
Sugarcane (if weeds are present at planting)				-wash containinated skill with soap and water. -Keep out of reach of children.	
DOSAGE		Contains Diuron 800g/Kg WG		-Store in a cool place, away from food, feedstuff and seeds.	
In Pre-Emergence	Rate L/Arp (200Lt of water)	FORMULATION: WATER DISPERSIBLE GRANULE			
1	1 Kg Diron 80	Acute Oral (LD ₅₀ mg/Kg): >1879 Acute Dermal (LD50mg/Kg): >500		FIRST AID	
2	Mix 1Kg of Diuron 80 + 1 Lt Oxyfluorfen 240EC	Manufacturer		IN CASE OF POISONING, contact a physician IMMEDIATELY. Take container, label or product name and DCCB Registration Number	
In Post Emergence				with you when seeking medical attention.	
1	Mix 1Kg of Diuron 80 with 1.25 Litre of 2,4 Amine Salt (Dical)	SPINO			
2	Mix 1Kg of Diuron 80 + 300 gm Hexazinone (Trend)+ 1.25 Litre of 2,4 Amine Salt (Dical)	CHEM Spinochem Tech Co.,L	.td		
MIXING INSTRUCTIONS: Use clean water. Fill sprayer/tank upto 1/4 of its capacity. Dissolve flowables or granules first then add liquid formulation followed by adding adjuvats at the end. Fill the tank.		Distributor			
USE RESTRICTIONS Do not use Diuron 80 on susceptible cane varieties (R 570 and M555/70) TOXICITY TO NON TARGET ORGANISMS		The Mauritius Co-operative Agricultural Federation Ltd		Skin: Non Irritant Eye: Mild Irritant	
Non -Toxic to bees, modertely to highly toxic to fish an other aquatic animals				Inhalation: May cause irritation of the mucous membranes, respiratory tract, headache and nausea.	
INHALATION TOXICITY					
Lc50 (4hr,rat) >2.97mg/l(a.i)				Swallowed: Toxic if swallowed. It may cause headache, vomiting and nausea.	
RE-ENTRY PERIOD: 24 hrs COMPATIBILITY					
Compaible with the above mentioned chemicals		Kit Lock Avenue - Bell Village - Port Louis- Mauritius Tel: 211 0928/212 1360 Fax: 211 2261		Antidote There is no specific antidote. Treat symptomatically	
		101. 211 0320/212 1300 FdX. /	211 2201	mere is no specific antidote. Theat symptomatically	
		Batch No: Ma DCCB Reg No: DCCB/AC/06/22/215	anufacture Date:	NET WEIGHT 1Kg	
	NOCIF				